

ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ ਉਸਾਰੀ ਉਪ ਮੰਡਲ ਲੈ.ਨਿ.ਵਿ. ਨੰ. 2, ਭਤਮ ਸਾਖਾ, ਮਲੋਟ।

Email id : sde.csd2.mlt.pwd@punjab.gov.in

ਵੱਲ:

ਪ੍ਰਿੰਸੀਪਲ, ਐਪਲ ਇੰਟਰਨੈਸ਼ਨਲ ਸਕੂਲ,
ਲੁਧੀ, ਤਹਿਸੀਲ ਮਲੋਟ,
ਜ਼ਿਲ੍ਹਾ ਮੁਕਤਸਰ ਸਾਹਿਬ।

ਨੰਬਰ: 148

ਮਿਤੀ: 12-09-22

ਵਿਸ਼ਾ:-

ਸਕੂਲ ਬਿਲਡਿੰਗ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਸਾਲ 2026-27 ਜਾਰੀ ਕਰਨ ਸਬੰਧੀ।
(Valid up to 31.03.2027)

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਸਬੰਧੀ ਆਪ ਦੇ ਸਕੂਲ ਬਿਲਡਿੰਗ ਦਾ ਨਿਰੀਖਣ ਇਸ ਦਫਤਰ ਅਧੀਨ ਕੀਤਾ ਗਿਆ ਹੈ। ਜਿਸ ਵਿੱਚ ਇੰਜੀਨੀਅਰ ਵੱਲੋਂ ਕੀਤਾ ਗਿਆ ਅਤੇ ਉਹਨਾਂ ਵੱਲੋਂ ਰਿਪੋਰਟ ਕੀਤੀ ਹੈ ਕਿ ਉਕਤ ਸਕੂਲ ਦੀ ਬਿਲਡਿੰਗ ਗਰਾਊਂਡ ਫਲੋਰ ਤੋਂ ਫਸਟ ਫਲੋਰ ਤੱਕ ਸੈਕਡ ਫਲੋਰ ਦਾ ਕਲ ਕਵਰਡ ਏਰੀਆ 39646 ਸਕੇਅਰ ਫੁੱਟ ਹੈ। ਪ੍ਰੋਵਾਹਮ ਦੇ ਕਾਲਮ ਨੰਬਰ 13 ਅਤੇ 14 ਸਬੰਧੀ ਦਫਤਰ ਫਾਇਰ ਸਟੇਸ਼ਨ ਮਲੋਟ ਵੱਲੋਂ NOC 1603-119593-Fire/89758 ਮਿਤੀ 26/08/2025 ਤੋਂ ਦੀ ਸਟੈਪ ਨੰ. PB68611555361548Y ਦੇ ਆਧਾਰ ਤੇ ਸਕੂਲ ਬਿਲਡਿੰਗ ਸੇਫਟੀ ਮਿਤੀ 31.03.2027 ਤੱਕ ਹੇਠ ਲਿਖੀਆਂ ਸ਼ਰਤਾਂ ਤੇ ਜਾਰੀ ਕੀਤਾ ਜਾਂਦਾ ਹੈ:-

1. ਸਕੂਲ ਦੀ ਬਿਲਡਿੰਗ ਦੀਆਂ ਛੱਤਾਂ ਉੱਤੇ ਅਤੇ ਆਲੇ ਦੁਆਲੇ ਪਾਣੀ ਖੜਾ ਨਾ ਹੋਣ ਦਿਤਾ ਜਾਵੇ।
2. ਜੇਕਰ ਬਿਲਡਿੰਗ ਦੀ ਕਿਸੇ ਜਗ੍ਹਾ ਤੇ ਤਰੋੜ ਆ ਜਾਂਦੀ ਹੈ ਤਾਂ ਉਸ ਜਗ੍ਹਾ ਨੂੰ ਤੁਰੰਤ ਖਾਲੀ ਕਰਵਾ ਦਿਤਾ ਜਾਵੇ ਅਤੇ ਇਸ ਵਿਭਾਗ ਤੋਂ ਇੰਸਪੈਕਸ਼ਨ ਤੁਰੰਤ ਕਰਵਾਈ ਜਾਵੇ ਅਤੇ ਜਿਸ ਜਗ੍ਹਾ ਤੇ ਕਰੇਕ ਹੁੰਦੇ ਹਨ ਤਾਂ ਉਸ ਜਗ੍ਹਾ ਦੀ ਰਿਪੇਅਰ ਕਰਵਾਈ ਜਾਵੇ।
3. ਬਿਲਡਿੰਗ ਦੀ ਹਰ ਪੱਧੇ ਸੇਫਟੀ ਦੀ ਸਾਰੀ ਜ਼ਿੰਮੇਵਾਰੀ ਸਕੂਲ ਮੁਖੀ ਦੀ ਹੋਵੇਗੀ। ਅੱਗ ਬਝਾਉ ਯੰਤਰ ਚਾਲੂ ਹਾਲਤ ਵਿੱਚ ਹੋਣੇ ਚਾਹੀਦੇ ਹਨ, ਇਸ ਸਕੂਲ ਦੀ ਬਿਲਡਿੰਗ ਵਿੱਚ ਕਿਸੇ ਕਿਸਮ ਦਾ ਵਾਧਾ ਕਰਨਾ ਹੋਵੇ ਤਾਂ ਇਸ ਨੂੰ ਕੰਪੀਟੇਟ ਅਥਾਰਟੀ ਤੋਂ ਪਹਿਲਾਂ ਪਾਸ ਕਰਵਾਇਆ ਜਾਵੇ ਅਤੇ ਇਸ ਦਫਤਰ ਨੂੰ ਸੂਚਨਾ ਭੇਜੀ ਜਾਵੇ।
4. ਨਵਾ ਫਾਇਰ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਜਾਰੀ ਹੋਣ ਉਪਰੰਤ ਇਸ ਦਫਤਰ ਨੂੰ ਭੇਜਿਆ ਜਾਣਾ ਯਕੀਨੀ ਬਣਾਇਆ ਜਾਵੇ। ਫਾਇਰ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ(25-08-2026) ਨੂੰ ਰੀਨਿਊ ਕਰਵਾਉਣਾ ਲਾਜ਼ਮੀ ਹੈ।

ਇਸ ਤੋਂ ਇਲਾਵਾ ਸਕੂਲ/ਸੰਸਥਾ ਮੁਖੀ ਨੂੰ ਇਹ ਵੀ ਲਿਖਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਜੇਕਰ ਉਹਨਾਂ ਸ਼ਰਤਾਂ ਵਿੱਚੋਂ ਕਿਸੇ ਸ਼ਰਤ ਦੀ ਉਲੰਘਣਾ ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਤਾਂ ਉਕਤ ਸਕੂਲ ਬਿਲਡਿੰਗ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਤੁਰੰਤ ਪ੍ਰਭਾਵ ਤੋਂ ਰੱਦ ਸਮਝਾਇਆ ਜਾਵੇਗਾ ਅਤੇ ਬਿਲਡਿੰਗ ਸੇਫਟੀ ਸਬੰਧੀ ਇਸ ਵਿਭਾਗ ਦੀ ਕੋਈ ਜ਼ਿੰਮੇਵਾਰੀ ਨਹੀਂ ਹੋਵੇਗੀ।
ਇਹੋ ਇਹ ਵੀ ਸਪੱਸ਼ਟ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਇਸ ਪੱਤਰ/ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਦਾ ਸਕੂਲ ਦੀ ਜਗ੍ਹਾ ਦੀ ਸਲਾਹੀਅਤ ਨਾਲ ਕੋਈ ਸਬੰਧ ਨਹੀਂ ਹੈ।

ਨੋਟ/ਸਰਟੀਫਿਕੇਟ

ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ,
ਉਸਾਰੀ ਉਪ ਮੰਡਲ ਨੰ. 2, ਭਤਮ ਸਾਖਾ,
ਮਲੋਟ।

ਪਿਠ ਅੰਕਣ ਨੰ. 149

ਮਿਤੀ: 12/08/22

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ, ਉਸਾਰੀ ਮੰਡਲ ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ ਭਤਮ ਤੇ ਸਾਹਿਬ ਸਾਖਾ, ਗਿੱਦੜਬਾਹਾ ਨੂੰ ਆਪ ਜੀ ਦੇ ਦਫਤਰ ਦਾ ਪਿਠ ਅੰਕਣ ਨੰ. 905 ਮਿਤੀ 18/05/2026 ਦੇ ਸਬੰਧ ਵਿੱਚ ਸੂਚਨਾ ਪਿੱਤਰ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ। ਇਸ ਸਕੂਲ ਦੀ ਬਿਲਡਿੰਗ ਦਾ ਕਲ ਕਵਰਡ ਏਰੀਆ 39646 ਸਕੇਅਰ ਫੁੱਟ ਹੈ ਅਤੇ ਇਸ ਦੀ ਬਣਦੀ ਇੰਸਪੈਕਸ਼ਨ ਸਮੱਪਤ ਹੋਣ ਵਿੱਚ ਜ਼ਰੂਰ ਕਰਵਾ ਦਿੱਤੇ ਗਏ ਹਨ ਜੀ।

ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ,
ਉਸਾਰੀ ਉਪ ਮੰਡਲ ਨੰ. 2, ਭਤਮ
ਮਲੋਟ।

l) Weather cooking of food is done at a safe place.

: Yes/No

: Weather any Thatch combustible material has been used.

: Yes/No

14. Requirement for Fire Protection Arrangements under NBC-Part-IV : Yes/No

(For Building height less than 15 metre)

a) Weather Hose Reel provided.

: Yes/No

b) Weather down comer provided.

: Yes/No

c) Weather Automatic sprinkler provided

: Yes/No

d) Weather underground static water storage tank of capacity
50,000 Ltr. (if covered area exceeds 1500 sqm.)

: Yes/No

e) Weather over Head tank of capacity 10,000 Ltr. Exists
(in case of hose reel) 20,000 Ltr.

: Yes/No

f) Weather one electric and one deisel pump of capacity pressure
of capacity 1620 LPM exist near underground static tank

: Yes/No

g) Weather a pump 3 kg/cum pressure & 450/500 LPM
exist near overhead tank.

: Yes/No

signature with stamp of the seal
of school/institution

PART-II

(To be filled by the S.D.E. of PWD (B&R) Department)

a) I have visited the above-mentioned school on dated 11-8-2021 And have visually inspected it from safety and find it fit for normal use as school buildings.

b) In case any addition / alteration or expansion and modifications to this buildings is to be carried out, the same be carried out under the supervision of a qualified Engineer and this certificate may be reobtained after the completion from the undersigned.

c) In case the building is affected by flood, or if there is settlement of walls / foundations or sagging or roofs etc. immediate inspection of the undersigned be arranged to check the stability and safety of the building.

d) This building can be safely occupied for normal use upto (indicate upto which it can be used)

31-2-2022
Building seems to be safe under normal conditions.

Counter signed

D
S.D.E.

Sub Divisional Engineer
Sd/- Sub Div. PWD (B&R) No.2,
MALOUT.
.....PWD (B & R) Br.

Executive Engineer,

Constn. Divn. PWD (B & R) Br.

Gidderbaha

PERFORMA FOR THE SAFETY OF SCHOOL BUILDING
PART-I
 (To be filled by head of school/institute)

- | | |
|--|---|
| 1. Name of school | : apple International school |
| 2. Location | : village - Lambi |
| 3. Plot area | : 2.1 Area |
| 4. Plinth area | : 14147 + 13919 + 11580 |
| 5. Number of storeys | : TOTAL Covered area |
| 6. Year of construction of building | : 39646 Sq.ft Ground |
| 7. If the building has been constructed under the supervision of the qualified engineer, the following details may be given- | : Floor, First Floor & Second floor 2011-12 |
| a) Name of the engineer with qualification | : Er. Ajesh K. Singla |
| b) Address of engineer. | : B. Teach (Civil) |
| c) Set of structural drawing used in the construction, if available | : (The Sangam Cent) |
| d) Name & Address of architect with qualification. | : |
| 8. Whether the building has been constructed for the purpose. | : |
| a) School | : Yes/No |
| b) Residential purpose and converted for use as a school. | : Yes/No |
| 9. Materials used for roofs | : |
| a) R. C. C. slabs/ R.B.C. slabs. | : Yes/No |
| b) R. S joist & Battons | : Yes/No |
| c) Wooden joists & Battons. | : Yes/No |
| 10. Materials used for walls | : |
| a) Mud mortar. | : Yes/No |
| b) Cement mortar. | : Yes/No |
| c) Lime mortar | : Yes/No |
| 11. Flooring. | : |
| a) Conglomerate. | : Yes/No |
| b) Terrazzo. | : Yes/No |
| c) Brick paving. | : Yes/No |
| 12. A detail drawing indicating dimensions of the rooms Along with size and location of doors and window. (attached) | : Yes/No |
| 13. FOR FIRE SAFETY | : |
| a) Whether the width of the staircase is 1.5 mtr. | : Yes/No |
| b) Whether portable fire extinguisher exists. | : Yes/No |
| c) Whether School building is free from inflammable & toxic material | : Yes/No |

